

No. IPS-1439-48/2020

EDITION 1

According to UE type-examination (module B) it is confirmed that PPE is intended to protect against the risk of category II:

**Safety footwear, antistatic: 005-367 X-PERFO GRAY;
015-367 X-PERFO NAVY;
005-361 X-CRECK**

produced by:

**PROTEKTOR Spółka Akcyjna
ul. Vetterów 24a-24b
20-277 Lublin**

satisfies the applicable essential health and safety requirements in accordance with Annex II Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC and the harmonised standards EN ISO 20345:2012 (PN-EN 20345:2012)

Category of footwear:

**005-367 X-PERFO GRAY: S1 P CI SRC
015-367 X-PERFO NAVY: S1 P CI SRC
005-361 X-CRECK: S1 P CI SRC**

The attachment No. 1/IPS-1439-48/2020 edition 1 of 07.09.2020 is an integral part of EU type-examination certificate. The information laid down in the attachment are the basis for the issuance of the present certificate.

The manufacturer or the authorised representative shall inform NB 1439 of all modifications to the approved type and all modifications of the technical documentation that may affect the conformity of the PPE with the applicable health and safety requirements or the conditions of validity of the certificate.

The certification was granted on 7 September, 2020

The certificate is valid until 6 September, 2025

Head of the Centre for Certification



M. Sc. Eng. Agnieszka Pietrzak

Lodz, 7 September, 2020

NOTIFIED BODY No. 1439

Sieć Badawcza ŁUKASIEWICZ - INSTYTUT PRZEMYSŁU SKÓRZANEGO
OŚRODEK CERTYFIKACJI
POLAND, 91-462 Łódź, ul. Zgierska 73

phone. +48 42 25 36 128/129
e-mail: iso@ips.lodz.pl

1. Description of the personal protective equipment

PPE:		occupational footwear, antistatic		
Type identification		005-367 X-PERFO GRAY	015-367 X-PERFO NAVY	005-361 X-CRECK
Size:		36÷47 (French size)		
Colour	- upper	grey	navy blue	navy blue
	- outsole	black		
Mounting system:		direct injection PU/PU		
Design:		A - ankle boot		
		according to the EN ISO 20345:2012, 5.2		
Classification:		I - according to the EN ISO 20345:2012, 4		
Risk category:		II - according to Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC - Annex I		

2. Photo of the personal protective equipment

005-367 X-PERFO GRAY



015-367 X-PERFO NAVY



005-361 X-CRECK



outsole PECTUS PU/PU



3. Characteristic of the personal protective equipment

USED MATERIALS		
005-367; 015-367	Vamp, quarter, counter, facing	suede cattle split
	Collar, tongue	double-glued fabric
	Seat region lining	fabric
005-361	Vamp, quarter, facing	cattle split
	Quarter, tongue	suede cattle split
	Toe cap, quarter insertion	rubber cattle split
	Quarter insertion	synthetic material
	Toe cap extension piece	fabric
	Seat region lining	seat region fabric
Vamp lining		non-woven fabric
Quarter lining		fabric
Insock		profiled
Insole		penetration resistant material
Toe protection		non-metallic toecaps
Outsole		PU/PU
Information on the used materials is included in the manufacturer's technical documentation		
PROTECTIVE PROPERTIES		
<p>Safety footwear meets to the basic requirements and to the appropriate additional requirements of the EN ISO 20345:2012 standard:</p> <p>S1 – basic requirements and closed seat region, antistatic properties, energy absorption of seat region, resistance to fuel oil</p> <p>P – penetration resistant</p> <p>CI – cold insulation of sole complex</p> <p>SRC – slip resistance on ceramic tile floor with NaLS and on steel floor with glycerine</p>		

4. Basic of the conformity assessment

REGULATION		
Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC		
STANDARDS		
<i>EN ISO 20345:2012 Personal protective equipment. Safety footwear</i>		
<i>EN ISO 20344:2012 Personal protective equipment. Test methods for footwear</i>		
TESTS AND CERTIFICATES		
Document No.	Date	Identification of the institution issuing the document
381/2017/LG	28.12.2017	Tanning Laboratory, Sieć Badawcza Łukasiewicz - Instytut Przemysłu Skórzanego, Łódź, Poland
43/2019/LG	06.02.2019	
315a/2019/LG	22.05.2019	
336a/2019/LG	03.06.2019	
650/2019/LG	04.10.2019	
750/2019/LG	05.12.2019	
121a/2020/LG	24.03.2020	
151/2020/LG	14.04.2020	
153/2020/LG	15.04.2020	

Attachment No: 1/IPS-1439-42/2020

199/2015/LO	11.12.2015	Footwear Laboratory, Sieć Badawcza Łukasiewicz - Instytut Przemysłu Skórzanego, Łódź, Poland
64/2020/LO	21.04.2020	
73/2020/LO	22.05.2020	
78/2020/LO	11.05.2020	
132/2020/LO	24.07.2020	
133/2020/LO	17.07.2020	
40-LBS/416/G/20	10.07.2020	Products, Processes and Environment Laboratory; Sieć Badawcza Łukasiewicz - Instytut Przemysłu Skórzanego, Łódź; Poland
RP 2018/0108-1-RP-1	07.02.2018	CIMAC; Centro Tessile Cottoniero Abbigliamento S.P.A; Busto Arsizio; Milano; Italy
SE-02620	21.03.2019	Centro Tecnológico Del Calzado De La Rioja; Spain
TECHNICAL DOCUMENTATION ATTACHED TO THE APPLICATION FOR THE EU TYPE-EXAMINATION		

Lodz, 07.09.2020



M.Sc. Eng. Agnieszka Pietrzak