



SAFETY DATA SHEET
MICRONCLEAN IPA 70/30 WFI
LIQUIDS

Contents

Section 1	Identification of the substance/mixture and of the company/undertaking	01
Section 2	Hazards identification	02
Section 3	Composition/information on ingredients	03
Section 4	First aid measures	04
Section 5	Firefighting measures	04
Section 6	Accidental release measures	05
Section 7	Handling and storage	05
Section 8	Exposure controls/personal protection	06
Section 9	Physical and chemical properties	07
Section 10	Stability and Reactivity	07
Section 11	Toxicological information	08
Section 12	Ecological information	08
Section 13	Disposal considerations	09
Section 14	Transport information	09
Section 15	Regulatory information	11
Section 16	Other information	12

Document control:

Issue Number	Reason for Change	Issue Date	Issued by
12	SDS layout update	11/2023	Uzayr Jarral - Regulatory Officer <i>Uzayr Jarral</i>

SAFETY DATA SHEET - MICRONCLEAN IPA 70/30 WFI - LIQUIDS

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

SECTION 1

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product code/ part no.	Product identifier	UK Product Authorisation Number	Ireland Product Authorisation Number
ZSAL64005	CleanGuard 1 IPA 5 Litre RFU Sterile	UK-2019-1221-3-0001	IE/BPA 70469 1-3
ZSAL64499	CleanGuard 1 IPA 500ml Trigger Spray Sterile	UK-2019-1221-2-0001	IE/BPA 70469 1-2
ZSAL64950	CleanGuard 1 IPA 950ml Trigger Spray Sterile	UK-2019-1221-2-0002	IE/BPA 70469 1-2
ZNAL64499	CleanGuard 1 IPA 500ml Trigger Spray Non-sterile	UK-2019-1221-2-0001	IE/BPA 70469 1-2
ZNAL64950	CleanGuard 1 IPA 950ml Trigger Spray Non-sterile	UK-2019-1221-2-0002	IE/BPA 70469 1-2

Product Name	Micronclean IPA 70/30 WFI
CAS No.	Not applicable
EC No.	Not applicable
REACH Registration No.	Not known
Unique Formula Identifier (UFI)	CC31-A0QV-M00U-0KR8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Disinfectant
Uses Advised Against	Not known

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification	Micronclean
Address of Manufacturer	Roman Bank Skegness Lincolnshire United Kingdom
Postal code	PE25 1SQ
Telephone:	0044 (0) 1754 767171
Fax	0044 (0) 1754 767171
E-mail	enquiries@micronclean.co.uk
Office hours	09:00 - 17:00

Supplier

Company Identification	Micronclean
Address of Supplier	Holly Road Skegness Lincolnshire United Kingdom

Postal code	PE25 3AX
Telephone:	0044 (0) 1754 767171
Fax	0044 (0) 1754 767171
E-mail	enquiries@micronclean.co.uk
Office hours	09:00 - 17:00

1.4 Emergency telephone number

Emergency Phone No.	+44 (0)1754 614100
Contact	No information available
National response centre for UK:	
Address	NHS Direct
Emergency Phone No.	+44 111

National response centre for Ireland:	
Address	Poisons Information Centre of Ireland Beaumont Hospital, PO Box 1297, Beaumont Road, Dublin, Ireland.
Emergency Phone No.	+00 353 183 799 64

SECTION 2

HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Flam. Liq. 2: Highly flammable liquid and vapour.
 Eye Irrit. 2: Causes serious eye irritation.
 STOT SE 3: May cause drowsiness or dizziness.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name	Micronclean IPA 70/30 WFI
--------------	---------------------------

Hazard Pictogram(s)	 
---------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------

GHS02

GHS07

Signal Word(s)	Danger
----------------	--------

Hazard Statement(s)	H225: Highly flammable liquid and vapour. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.
---------------------	-------------------------------------------------------------------------------------------------------------------------------

Precautionary Statement(s)	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233: Keep container tightly closed. P264: Wash hands and exposed skin thoroughly after handling. P280: Wear protective gloves/protective clothing/eye protection/face protection.
----------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313: If eye irritation persists: Get medical advice/attention.
 P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish.
 P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards

None known

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3

COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
propan-2-ol isopropyl alcohol isopropanol	67-63-0	200-661-7	70	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336	GHS02 GHS07

Contains no non-classified vPvB substances.

Contains no substances not classified with an EU workplace exposure limit.

For the full text of H/P statements, see section 16.

SECTION 4 FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
Skin Contact	Take off immediately all contaminated clothing. Rinse skin with water.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Treat symptomatically.

4.2 Most important symptoms and effects, both acute and delayed

May cause irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Call a POISON CENTER/doctor if you feel unwell. Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media	Use water spray, dry powder or carbon dioxide to extinguish.
Unsuitable extinguishing media	Water jet spray

5.2 Special hazards arising from the substance or mixture

Highly flammable liquid and vapour. May decompose in a fire, giving off toxic and irritant vapours.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

SECTION 6

ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure full personal protection (including respiratory protection) during removal of spillages.

6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Containers must not be punctured or destroyed by burning, even when empty.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7

HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting/equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands and exposed skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Storage temperature	Ambient
Storage life	Stable under normal conditions
Incompatible materials	None known

7.3 Specific end use(s)

Disinfectant

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

OCCUPATIONAL EXPOSURE LIMITS						
SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Propan-2-ol	67-63-0	400	999	500	1250	

Region	Source
EU	EU Occupational Exposure Limits
United Kingdom	UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)
Remark	Notes

8.2 Exposure controls

8.2.1. Appropriate engineering controls Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2 Personal protection equipment



Eye Protection

Wear eye protection with side protection (EN166).



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection

Normally no personal respiratory protection is necessary.



Thermal hazards

None known.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical State	Liquid
Colour	Colourless
Odour	Alcohol-like
Melting point/freezing point	- 89°C
Boiling point or initial boiling point and boiling range	82°C
Flammability	Flammable
Lower and upper explosion limit	12.7 % V / 2.0% V
Flash Point	18°C
Auto-ignition temperature	399°C
Decomposition Temperature (°C)	Not known
pH	6-8
Kinematic Viscosity	@20°C = 4.232 @40°C = 2.121
Solubility	Solubility (Water): Very soluble Solubility (Other): Miscible with Organic Solvents
Partition coefficient: n-octanol/water (log value)	
Vapour pressure	20 mmHg @ 332°C
Density and/or Relative density	Density (g/ml) : 0.785
Relative vapour density	2.1
Particle characteristics	Not known

9.2 Other information

None.

SECTION 10 STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated

10.2 Chemical Stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

10.4 Conditions to avoid

Avoid friction, sparks, or other means of ignition.

10.5 Incompatible materials

Not known

10.6 Hazardous decomposition products

No hazardous decomposition products known

SECTION 11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion	Not classified.
Acute toxicity - Skin Contact	Not classified.
Acute toxicity - Inhalation	Not classified.
Skin corrosion/irritation	Not classified.
Serious eye damage/irritation	Calculation method: Causes serious eye irritation.
Skin sensitization data	Not classified.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
Lactation	Not classified.
STOT - single exposure	Calculation method: May cause drowsiness or dizziness.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.

11.2 Other information

Not known.

SECTION 12 ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

12.2 Persistence and degradability

Not known

12.3 Bioaccumulative potential

Not known

12.4 Mobility in soil

Not known

12.5 Results of PBT and vPvB assessment

Not known

12.6 Endocrine disrupting properties

Not known

12.7 Other adverse effects

Not known

SECTION 13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator. Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14 TRANSPORT INFORMATION

14.1 UN number

1219

14.2 UN proper shipping name

ISOPROPANOL (ISOPROPYL ALCOHOL)

14.3 Transport hazard class(es)

ADR/RID

ADR/RID Class	3
ADR Classification Code	F1
Special Provisions	601
Limited Quantities	1 L
Excepted Quantities	E2
Emergency Action Code	•2YE
Mixed Packing Instructions for Packages	P001 IBC02 R001
Special Packing Provisions for Packages	
Mixed Packing Instructions for Packages	MP19
Packing Instructions for Portable Tanks	T4
Special Provisions for Portable Tanks	TP1
Tank Code for Tanks	LGBF
Special Provisions for Tanks	
Vehicle for Tank Carriage	FL
ADR Transport Category	2
Tunnel Restriction Code	D/E
Special Provisions for Carriage - Packages	
Special Provisions for Carriage - Bulk	
Special Provisions for Carriage - Loading, Unloading and Handling	
Special Provisions for Carriage - Operation	S2 S20
ADR HIN	33

IMDG

IMDG Class	3
Special Provisions	601
Limited Quantities	1 L
Excepted Quantities	E2
Mixed Packing Instructions for Packages	P001 IBC02 R001
Special Packing Provisions for Packages	
Packing Instructions for Portable Tanks	T4
Special Provisions for Portable Tanks	TP1
IMDG EMS	F-E, S-D
Stowage and Handling	Category B
Segregation	
Marine Pollutant	

ICAO/IATA

IATA Proper Shipping Name	ISOPROPANOL (ISOPROPYL ALCOHOL)
Excepted Quantities	E2
Passenger and Cargo Aircraft Limited Quantities Packing Instructions	Y341
Passenger and Cargo Aircraft Limited Quantities Max net Qty	1L
Passenger and Cargo Aircraft Packing Instructions	353
Passenger and Cargo Aircraft Max net Qty	5L
Cargo Aircraft Packing Instructions	364
Cargo Aircraft Max net Qty	60L
Special Provisions	A180
Emergency Response Guidebook (ERG) Code	3L

Labels

Labels	3
--------	---



14.4 Packing group

Packing group	II
---------------	----

14.5 Environmental hazards

Environmental hazards	Not classified as a Marine Pollutant.
-----------------------	---------------------------------------

14.6 Special precautions for user

Not known

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

SECTION 15

REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation	Not listed
---------------------------------------------------------------------	------------

REACH: ANNEX XIV list of substances subject to authorisation	Not listed
--------------------------------------------------------------	------------

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	propan-2-ol isopropyl alcohol isopropanol (67-63-0)
-----------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------

Community Rolling Action Plan (CoRAP)	Not listed
---------------------------------------	------------

Regulation (EC) N° 850/2004 of the European Parliament and of the Council on persistent organic pollutants	Not listed
------------------------------------------------------------------------------------------------------------	------------

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer	Not listed
-------------------------------------------------------------------------	------------

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
-----------------------------------------------------------------------------------------------------------------------------------	------------

National regulations

Other	Not known.
-------	------------

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out

SECTION 16 OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



GHS02



GHS07

Hazard classification

Flam. Liq. 2 : Flammable liquid, Category 2
Eye Irrit. 2 : Serious eye damage/irritation, Category 2
STOT SE 3 H336 : Specific target organ toxicity — single exposure, Category 3

Hazard Statement(s)

H225: Highly flammable liquid and vapour.
H319: Causes serious eye irritation.
H336: May cause drowsiness or dizziness.

Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233: Keep container tightly closed.
P240: Ground and bond container and receiving equipment.
P241: Use explosion-proof electrical/ventilating/lighting/equipment.
P242: Use non-sparking tools.
P243: Take action to prevent static discharges.
P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
P264: Wash hands and exposed skin thoroughly after handling.
P271: Use only outdoors or in a well-ventilated area.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312: Call a POISON CENTER/doctor if you feel unwell.
P337+P313: If eye irritation persists: Get medical advice/attention.
P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.
P403+P235: Store in a well-ventilated place. Keep cool.
P405: Store locked up.
P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms

ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS : Chemical Abstracts Service
CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DNEL : Derived No Effect Level
EC : European Community
EINECS : European Inventory of Existing Commercial Chemical Substances
IATA : International Air Transport Association
IBC : Intermediate Bulk Container
ICAO : International Civil Aviation Organization
IMDG : International Maritime Dangerous Goods
LTEL : Long term exposure limit
PBT : Persistent, Bioaccumulative and Toxic
PNEC : Predicted No Effect Concentration
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
RID : Regulations concerning the International Carriage of Dangerous Goods by Rail
STEL : Short term exposure limit
STOT : Specific Target Organ Toxicity
UN : United Nations
vPvB : very Persistent and very Bioaccumulative

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Micronclean gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Micronclean accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



Roman Bank / Skegness / Lincolnshire / PE25 1SQ
T: +44 (0)1754 767 377
E: sales@micronclean.co.uk
W: www.micronclean.com

