



---

SAFETY DATA SHEET  
**MICRONCLEAN IMS 70/30 WFI**  
WIPES AND MOPS

## Contents

Section 1	Identification of the substance/mixture and of the company/undertaking	01
Section 2	Hazards identification	02
Section 3	Composition/information on ingredients	03
Section 4	First aid measures	04
Section 5	Firefighting measures	04
Section 6	Accidental release measures	05
Section 7	Handling and storage	05
Section 8	Exposure controls/personal protection	06
Section 9	Physical and chemical properties	07
Section 10	Stability and Reactivity	07
Section 11	Toxicological information	08
Section 12	Ecological information	08
Section 13	Disposal considerations	09
Section 14	Transport information	09
Section 15	Regulatory information	11
Section 16	Other information	12

Document control:

Issue Number	Reason for Change	Issue Date	Issued by
10	SDS layout update	11/2023	Uzayr Jarral - Regulatory Officer <i>Uzayr Jarral</i>

## SAFETY DATA SHEET - MICRONCLEAN IMS 70/30 WFI - WIPES/MOPS

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

### SECTION 1

#### IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

##### 1.1 Product identifier

Product code/ part no.	Product identifier
WSCW97ZZZ	VeriGuard 9 IMS Silver Pack Polyethylene/Polypropylene Z-folded Wipes Sterile
WSCW91009	VeriGuard 2 IMS Sessional Polycellulose C-folded Pouch Wipes Sterile
WSVG09023	VeriGuard 2 IMS Polycellulose C-folded Pouch Wipes Sterile
MSME04016	Pureguard 2 IMS Individually Packed Disposable Microfibre Mop Sterile
MSME01016	Pureguard 2 IMS Multi Packed Disposable Microfibre Mops

Product Name	Micronclean IMS 70/30 WFI Wipes/Mops
CAS No.	Not applicable
EC No.	Not applicable
REACH Registration No.	Not known
Unique Formula Identifier (UFI)	TXC1-X0RK-800A-4R0Q

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Disinfectant
Uses Advised Against	Not known

##### 1.3 Details of the supplier of the safety data sheet

###### Manufacturer

Company Identification	Micronclean
Address of Manufacturer	Roman Bank Skegness Lincolnshire United Kingdom
Postal code	PE25 1SQ
Telephone:	0044 (0) 1754 767171
Fax	0044 (0) 1754 767171
E-mail	enquiries@micronclean.co.uk
Office hours	09:00 - 17:00

###### Supplier

Company Identification	Micronclean
Address of Supplier	Holly Road Skegness Lincolnshire United Kingdom
Postal code	PE25 3AX
Telephone:	0044 (0) 1754 767171

Fax	0044 (0) 1754 767171
E-mail	enquiries@micronclean.co.uk
Office hours	09:00 - 17:00

#### 1.4 Emergency telephone number

Emergency Phone No.	+44 (0)1754 614100
Contact	No information available
National response centre for UK:	
Address	NHS Direct
Emergency Phone No.	+44 111

## SECTION 2



### HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Flam. Liq. 2: Highly flammable liquid and vapour.  
 Eye Irrit. 2: Causes serious eye irritation.

#### 2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name	Micronclean IMS 70/30 WFI Wipes/Mops	
Hazard Pictogram(s)	 GHS02	 GHS07
Signal Word(s)	Danger	
Hazard Statement(s)	H225: Highly flammable liquid and vapour. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.	
Precautionary Statement(s)	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233: Keep container tightly closed. P264: Wash hands and exposed skin thoroughly after handling. P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention. P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish. P501: Dispose of contents in accordance with local, state or national legislation.	

Unique Formula Identifier (UFI)

TXC1-X0RK-800A-4R0Q

### 2.3 Other hazards

None known

### 2.4 Additional Information

For full text of H/P Statements see section 16.

## SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable

### 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
ethanol ethyl alcohol	64-17-5	200-578-6	>=50 - <70	Flam. Liq. 2 H225	GHS02
				Eye Irrit. 2 H319	GHS07
propan-2-ol isopropyl alcohol isopropanol	67-63-0	200-661-7	>=3 - <10	Flam. Liq. 2 H225	GHS02
				Eye Irrit. 2 H319	GHS07
				STOT SE 3 H336	

Contains no non-classified vPvB substances.

Contains no substances not classified with an EU workplace exposure limit.

For the full text of H/P statements, see section 16.

## **SECTION 4**

### **FIRST AID MEASURES**

#### **4.1 Description of first aid measures**

Inhalation	Treat symptomatically.
Skin Contact	Treat symptomatically.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Treat symptomatically.

#### **4.2 Most important symptoms and effects, both acute and delayed**

May cause irritation.

#### **4.3 Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

## **SECTION 5**

### **FIREFIGHTING MEASURES**

#### **5.1 Extinguishing media**

Suitable Extinguishing media	As appropriate for surrounding fire.
Unsuitable extinguishing media	None

#### **5.2 Special hazards arising from the substance or mixture**

May decompose in a fire, giving off toxic and irritant vapours.

#### **5.3 Advice for firefighters**

As appropriate for surrounding fire.

## **SECTION 6**

### **ACCIDENTAL RELEASE MEASURES**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Wear suitable protective clothing, gloves and eye/face protection.

#### **6.2 Environmental precautions**

This material and its container must be disposed of in a safe way.

#### **6.3 Methods and material for containment and cleaning up**

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal.

#### **6.4 Reference to other sections**

See Also Section 8, 13.

## **SECTION 7**

### **HANDLING AND STORAGE**

#### **7.1 Precautions for safe handling**

Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

#### **7.2 Conditions for safe storage, including any incompatibilities**

Storage temperature	Ambient.
Storage life	Stable under normal conditions.
Incompatible materials	None known.

#### **7.3 Specific end use(s)**

Disinfectant

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### 8.1.1 Occupational Exposure Limits

OCCUPATIONAL EXPOSURE LIMITS						
SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Ethanol	64-17-5	1000	1920			
Propan-2-ol	67-63-0	400	999	500	1250	

Region	Source
United Kingdom	UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)
Remark	Notes

### 8.2 Exposure controls

8.2.1. Appropriate engineering controls      Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

#### 8.2.2. Personal protection equipment



Eye Protection

Wear eye protection with side protection (EN166).



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection

Normally no personal respiratory protection is necessary.



Thermal hazards

None known.

8.2.3. Environmental Exposure Controls      Avoid release to the environment.



## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical State	Liquid
Colour	Colourless
Odour	Alcohol-like
Melting point/freezing point	- 114°C
Boiling point or initial boiling point and boiling range	78°C @ 1013 hPa
Flammability	Not known
Lower and upper explosion limit	13.5 % V / 2.5 % V
Flash Point	12°C CC (Closed cup)
Auto-ignition temperature	363°C
Decomposition Temperature (°C)	Not known
pH	Not known
Kinematic Viscosity	1.2 mPa s @ 20°C
Solubility	Solubility (Water): Soluble in water. Solubility (Other): Miscible with Organic Solvents
Partition coefficient: n-octanol/water (log value)	log Pow: - 0.35
Vapour pressure	57 hPa @ °C
Density and/or Relative density	Density (g/ml) : 789.33 kg/m <sup>3</sup>
Relative vapour density	1.03
Particle characteristics	Not known

### 9.2 Other information

None.

## SECTION 10 STABILITY AND REACTIVITY

### 10.1 Reactivity

None anticipated

### 10.2 Chemical Stability

Stable under normal conditions

### 10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

### 10.4 Conditions to avoid

None anticipated.

### 10.5 Incompatible materials

Not known

### 10.6 Hazardous decomposition products

No hazardous decomposition products known

## SECTION 11 TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Acute toxicity - Ingestion	Not classified.
Acute toxicity - Skin Contact	Not classified.
Acute toxicity - Inhalation	Not classified.
Skin corrosion/irritation	Not classified.
Serious eye damage/irritation	Causes serious eye irritation.
Skin sensitization data	Not classified.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
Lactation	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.

### 11.2 Other information

Not known.

## SECTION 12 ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

### 12.2 Persistence and degradability

Not known

### 12.3 Bioaccumulative potential

Not known

### 12.4 Mobility in soil

The product has high mobility in soil

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

Not known

### 12.7 Other adverse effects

Not known

## SECTION 13 DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Send to a licensed recycler, reclaimer or incinerator. Dispose at suitable refuse site.

### 13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

## SECTION 14 TRANSPORT INFORMATION

### 14.1 UN number

3175

### 14.2 UN proper shipping name

UN proper shipping name

SOLIDS CONTAINING FLAMMABLE  
LIQUID, N.O.S.

### 14.3 Transport hazard class(es)

#### ADR/RID

ADR/RID Class	4.1
ADR Classification Code	F1
Special Provisions	216, 274, 601
Limited Quantities	1 kg
Excepted Quantities	E2
Emergency Action Code	1Z
Mixed Packing Instructions for Packages	P002 IBC06 R001
Special Packing Provisions for Packages	PP9
Mixed Packing Instructions for Packages	MP11
Packing Instructions for Portable Tanks	T3 BK1 BK2
Special Provisions for Portable Tanks	TP33
Tank Code for Tanks	
Special Provisions for Tanks	
Vehicle for Tank Carriage	AT
ADR Transport Category	2
Tunnel Restriction Code	E
Special Provisions for Carriage - Packages	V11
Special Provisions for Carriage - Bulk	VC1 VC2 AP2
Special Provisions for Carriage - Loading, Unloading and Handling	
Special Provisions for Carriage - Operation	
ADR HIN	40

## IMDG

IMDG Class	4.1
Special Provisions	216, 274, 601
Limited Quantities	1 kg
Excepted Quantities	E2
Mixed Packing Instructions for Packages	P002 IBC06 R001
Special Packing Provisions for Packages	PP9
Packing Instructions for Portable Tanks	T3 BK1 BK2
Special Provisions for Portable Tanks	TP33
IMDG EMS	F-A, S-I
Stowage and Handling	Category B
Segregation	
Marine Pollutant	

## ICAO/IATA

IATA Proper Shipping Name	SOLID CONTAINING FLAMMABLE LIQUID, N.O.S
Excepted Quantities	E2
Passenger and Cargo Aircraft Limited Quantities Packing Instructions	Y441
Passenger and Cargo Aircraft Limited Quantities Max net Qty	5Kg
Passenger and Cargo Aircraft Packing Instructions	445
Passenger and Cargo Aircraft Max net Qty	15Kg
Cargo Aircraft Packing Instructions	448
Cargo Aircraft Max net Qty	50Kg
Special Provisions	A46
Emergency Response Guidebook (ERG) Code	3L

## Labels

Labels	4.1 
--------	--

## 14.4 Packing group

Packing group	II
---------------	----

## 14.5 Environmental hazards

Environmental hazards	Not classified as a Marine Pollutant.
-----------------------	---------------------------------------

## 14.6 Special precautions for user

Not known

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No information available

## SECTION 15

### REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation	Not listed
REACH: ANNEX XIV list of substances subject to authorisation	Not listed
REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	ethanol ethyl alcohol (64-17-5), propan-2-ol isopropyl alcohol isopropanol (67-63-0)
Community Rolling Action Plan (CoRAP)	Not listed
Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants	Not listed
Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer	Not listed
Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
<b>National regulations</b>	
Other	Not known.

#### 15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out

## SECTION 16 OTHER INFORMATION

The following sections contain revisions or new statements:

### LEGEND

Hazard Pictogram(s)



GHS02



GHS07

Hazard classification

Flam. Liq. 2 : Flammable liquid, Category 2  
 Eye Irrit. 2 : Serious eye damage/irritation, Category 2  
 STOT SE 3 H336 : Specific target organ toxicity — single exposure, Category 3

Hazard Statement(s)

H225: Highly flammable liquid and vapour.  
 H319: Causes serious eye irritation.  
 H336: May cause drowsiness or dizziness.

Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P233: Keep container tightly closed.  
 P240: Ground and bond container and receiving equipment.  
 P241: Use explosion-proof electrical/ventilating/lighting/equipment.  
 P242: Use non-sparking tools.  
 P243: Take action to prevent static discharges.  
 P261: Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P264: Wash hands and exposed skin thoroughly after handling.  
 P271: Use only outdoors or in a well-ventilated area.  
 P280: Wear protective gloves/protective clothing/eye protection/face protection.  
 P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P312: Call a POISON CENTER/doctor if you feel unwell.  
 P337+P313: If eye irritation persists: Get medical advice/attention.  
 P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish.  
 P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P403+P235: Store in a well-ventilated place. Keep cool.  
 P405: Store locked up.  
 P501: Dispose of contents in accordance with local, state or national legislation.

## Acronyms

ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road  
 ATE : Acute Toxicity Estimate  
 CAS : Chemical Abstracts Service  
 CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  
 DNEL : Derived No Effect Level  
 EC : European Community  
 EINECS : European Inventory of Existing Commercial Chemical Substances  
 IATA : International Air Transport Association  
 IBC : Intermediate Bulk Container  
 ICAO : International Civil Aviation Organization  
 IMDG : International Maritime Dangerous Goods LTEL : Long term exposure limit  
 PBT : Persistent, Bioaccumulative and Toxic  
 PNEC : Predicted No Effect Concentration  
 REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals  
 RID : Regulations concerning the International Carriage of Dangerous Goods by Rail  
 STEL : Short term exposure limit  
 STOT : Specific Target Organ Toxicity  
 UN : United Nations  
 vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS

Regulation (EC) No. 1272/2008 (CLP)

## Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Micronclean gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Micronclean accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



Roman Bank / Skegness / Lincolnshire / PE25 1SQ  
T: +44 (0)1754 767 377  
E: sales@micronclean.co.uk  
W: www.micronclean.com

