



---

SAFETY DATA SHEET  
**MICRONCLEAN IPA 70/30 WFI**  
WIPES/MOPS

## Contents

Section 1	Identification of the substance/mixture and of the company/undertaking	01
Section 2	Hazards identification	03
Section 3	Composition/information on ingredients	04
Section 4	First aid measures	04
Section 5	Firefighting measures	05
Section 6	Accidental release measures	05
Section 7	Handling and storage	06
Section 8	Exposure controls/personal protection	06
Section 9	Physical and chemical properties	07
Section 10	Stability and Reactivity	08
Section 11	Toxicological information	08
Section 12	Ecological information	09
Section 13	Disposal considerations	09
Section 14	Transport information	10
Section 15	Regulatory information	12
Section 16	Other information	13

Document control:

Issue Number	Reason for Change	Issue Date	Issued by
11	SDS layout update	11/2023	Uzayr Jarral - Regulatory Officer <i>Uzayr Jarral</i>

## SAFETY DATA SHEET - MICRONCLEAN IPA 70/30 WIPES/MOPS

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

### SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

#### 1.1 Product identifier

Product code/ part no.	Product identifier	UK Product Authorisation Number	Ireland Product Authorisation Number
WSCW92009	VeriGuard 2 IPA Sessional Polycellulose C-folded Pouch Wipes Sterile	UK-2019-1221-1-0004	IE/BPA 70469 1-1
MCZSLA50S	VeriGuard 3 Polyester Non-folded Pouch Wipes Sterile	UK-2019-1221-1-0002	IE/BPA 70469 1-1
MCZNLA50N	VeriGuard 3 IPA Polyester Non-folded Pouch Wipes Non-sterile	UK-2019-1221-1-0001	IE/BPA 70469 1-1
WNVG05020	VeriGuard 1 IPA Polypropylene Tub Wipes Non-sterile	UK-2019-1221-1-0005	IE/BPA 70469 1-1
WSVG05020	VeriGuard 1 IPA Polypropylene Tub Wipes Sterile	UK-2019-1221-1-0006	IE/BPA 70469 1-1
WSVG01020	VeriGuard 1 IPA Polypropylene Tub Wipes Refill Sterile	UK-2019-1221-1-0007	IE/BPA 70469 1-1
WNVG04023	VeriGuard 2 IPA Polycellulose C-folded Pouch Wipes Non-sterile	-	-
WSVG04023	VeriGuard 2 IPA Polycellulose C-folded Pouch Wipes Sterile	-	-
WNVG06030	VeriGuard 3 IPA Sessional Polyester V-folded Pouch Wipes Non-sterile	UK-2019-1221-1-0003	IE/BPA 70469 1-1
WSVG06030	VeriGuard 3 IPA Sessional Polyester V-folded Pouch Wipes Sterile	UK-2019-1221-1-0003	IE/BPA 70469 1-1
WNPC50169	VeriGuard 2 IPA Polycellulose C-folded Pouch Wipes Non-sterile	-	-
MSMI01016	Pureguard 1 IPA Multi Packed Disposable Microfibre Mops Sterile	-	-
MSMI04016	Pureguard 1 IPA Individually Packed Disposable Microfibre Mop Sterile	-	-

Product Name Micronclean IPA 70/30 WFI Wipes/Mops  
Unique Formula Identifier (UFI) CC31-A0QV-M00U-0KR8

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Disinfectant  
Uses Advised Against Not known

## 1.3 Details of the supplier of the safety data sheet

### Manufacturer

Company Identification Micronclean GmbH  
EU Address c/o BANSBACH GmbH  
Gansheidestr. 67-74  
Stuttgart  
Germany  
Postal code 70184  
Telephone: 0044 (0) 1754 767171  
Fax 0044 (0) 1754 767171  
E-mail enquiries@micronclean.co.uk  
Office hours 09:00 - 17:00

## 1.4 Emergency telephone number

Emergency Phone No. +44 (0)1754 614100  
Contact No information available

National response centre for Ireland

Address Poisons Information Centre of Ireland Beaumont  
Hospital, PO Box 1297, Beaumont Road, Dublin,  
Ireland

Emergency Phone No. +00 353 183 799 64

## SECTION 2 HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Flam. Liq. 2: Highly flammable liquid and vapour.  
 Eye Irrit. 2: Causes serious eye irritation.  
 STOT SE 3: May cause drowsiness or dizziness.

### 2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name	Micronclean IPA 70/30 WFI Wipes/Mops	
Hazard Pictogram(s)	 GHS02	 GHS07
Signal Word(s)	Danger	
Hazard Statement(s)	H225: Highly flammable liquid and vapour. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.	
Precautionary Statement(s)	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233: Keep container tightly closed. P264: Wash hands and exposed skin thoroughly after handling. P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention. P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish. P501: Dispose of contents in accordance with local, state or national legislation.	
Unique Formula Identifier (UFI)	CC31-A0QV-M00U-0KR8	

### 2.3 Other hazards

None known

### 2.4 Additional Information

For full text of H/P Statements see section 16.

## SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable

### 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
propan-2-ol isopropyl alcohol isopropanol	67-63-0	200-661-7	70	Flam. Liq. 2 H225	GHS02
				Eye Irrit. 2 H319	GHS07
				STOT SE 3 H336	
Water	7732-18-5	231-791-2	30	Not classified	None

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

## SECTION 4 FIRST AID MEASURES

### 4.1 Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing.
Skin Contact	Call a POISON CENTER/doctor if you feel unwell.
	Take off immediately all contaminated clothing. Rinse skin with water.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Ingestion	If eye irritation persists: Get medical advice/attention.
	Treat symptomatically.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Call a POISON CENTER/doctor if you feel unwell. Treat symptomatically.

## **SECTION 5**

### **FIREFIGHTING MEASURES**

#### **5.1 Extinguishing media**

Suitable Extinguishing media	Use water spray, dry powder or carbon dioxide to extinguish.
Unsuitable extinguishing media	Water jet spray

#### **5.2 Special hazards arising from the substance or mixture**

Highly flammable liquid and vapour. May decompose in a fire, giving off toxic and irritant vapours.

#### **5.3 Advice for firefighters**

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

## **SECTION 6**

### **ACCIDENTAL RELEASE MEASURES**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure full personal protection (including respiratory protection) during removal of spillages.

#### **6.2 Environmental precautions**

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

#### **6.3 Methods and material for containment and cleaning up**

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Containers must not be punctured or destroyed by burning, even when empty.

#### **6.4 Reference to other sections**

See Also Section 8, 13.

## SECTION 7 HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting/equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands and exposed skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Storage temperature	Ambient
Storage life	Stable under normal conditions
Incompatible materials	None known

### 7.3 Specific end use(s)

Disinfectant

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### 8.1.1 Occupational Exposure Limits

OCCUPATIONAL EXPOSURE LIMITS						
SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Propan-2-ol	67-63-0	400	999	500	1250	

Region	Source
United Kingdom	UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)
Remark	Notes

### 8.2 Exposure controls

- 8.2.1. Appropriate engineering controls
- Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

### 8.2.2. Personal protection equipment



Eye Protection

Wear eye protection with side protection (EN166).



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection

Normally no personal respiratory protection is necessary.



Thermal hazards

None known.

8.2.3. Environmental Exposure Controls    Avoid release to the environment.

## SECTION 9

### PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Physical State	Liquid
Colour	Colourless
Odour	Alcohol-like
Melting point/freezing point	- 89°C
Boiling point or initial boiling point and boiling range	82°C
Flammability	Not known
Lower and upper explosion limit	12.7 % V / 2.0% V
Flash Point	18°C
Auto-ignition temperature	399°C
Decomposition Temperature (°C)	Not known
pH	6-8
Kinematic Viscosity	@20°C = 4.232 @40°C = 2.121
Solubility	Solubility (Water): Very soluble Solubility (Other): Miscible with Organic Solvents
Partition coefficient: n-octanol/water (log value)	Not known
Vapour pressure	20 mmHg @ 332°C
Density and/or Relative density	Density (g/ml) : 0.785
Relative vapour density	2.1
Particle characteristics	Not known

#### 9.2 Other information

None.

## **SECTION 10**

### **STABILITY AND REACTIVITY**

#### **10.1 Reactivity**

None anticipated

#### **10.2 Chemical Stability**

Stable under normal conditions

#### **10.3 Possibility of hazardous reactions**

No hazardous reactions known if used for its intended purpose

#### **10.4 Conditions to avoid**

Avoid friction, sparks, or other means of ignition.

#### **10.5 Incompatible materials**

Not known

#### **10.6 Hazardous decomposition products**

No hazardous decomposition products known

## **SECTION 11**

### **TOXICOLOGICAL INFORMATION**

#### **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity - Ingestion	Calculation method : Not classified.
Acute toxicity - Skin Contact	Calculation method : Not classified.
Acute toxicity - Inhalation	Calculation method : Not classified.
Skin corrosion/irritation	Calculation method : Not classified.
Serious eye damage/irritation	Calculation method : Causes serious eye irritation.
Skin sensitization data	Calculation method : Not classified.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.
Carcinogenicity	Calculation method : Not classified.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Not classified
STOT - single exposure	Calculation method : May cause drowsiness or dizziness.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : Not classified.

#### **11.2 Information on other hazards**

Not known.

## **SECTION 12**

### **ECOLOGICAL INFORMATION**

#### **12.1 Toxicity**

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

#### **12.2 Persistence and degradability**

Not known

#### **12.3 Bioaccumulative potential**

Not known

#### **12.4 Mobility in soil**

Not known

#### **12.5 Results of PBT and vPvB assessment**

Not known

#### **12.6 Endocrine disrupting properties**

Not known

#### **12.7 Other adverse effects**

Not known

## **SECTION 13**

### **DISPOSAL CONSIDERATIONS**

#### **13.1 Waste treatment methods**

Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator. Dispose at suitable refuse site.

#### **13.2 Additional Information**

Disposal should be in accordance with local, state or national legislation.

## SECTION 14

### TRANSPORT INFORMATION

#### 14.1 UN number or ID number

UN No. 3175

#### 14.2 UN proper shipping name

UN proper shipping name  
 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

#### 14.3 Transport hazard class(es)

##### ADR/RID

ADR/RID Class	4.1
ADR Classification Code	F1
Special Provisions	216, 274, 601
Limited Quantities	1 kg
Excepted Quantities	E2
Emergency Action Code	1Z
Mixed Packing Instructions for Packages	P002 IBC06 R001
Special Packing Provisions for Packages	PP9
Mixed Packing Instructions for Packages	MP11
Packing Instructions for Portable Tanks	T3 BK1 BK2
Special Provisions for Portable Tanks	TP33
Tank Code for Tanks	
Special Provisions for Tanks	
Vehicle for Tank Carriage	AT
ADR Transport Category	2
Tunnel Restriction Code	E
Special Provisions for Carriage - Packages	V11
Special Provisions for Carriage - Bulk	VC1 VC2 AP2
Special Provisions for Carriage - Loading, Unloading and Handling	
Special Provisions for Carriage - Operation	
ADR HIN	40

##### IMDG

IMDG Class	4.1
Special Provisions	216, 274, 601
Limited Quantities	1 kg
Excepted Quantities	E2
Mixed Packing Instructions for Packages	P002 IBC06 R001
Special Packing Provisions for Packages	PP9
Packing Instructions for Portable Tanks	T3 BK1 BK2
Special Provisions for Portable Tanks	TP33
IMDG EMS	F-A, S-I
Stowage and Handling	Category B
Segregation	
Marine Pollutant	

### ICAO/IATA

IATA Proper Shipping Name	SOLID CONTAINING FLAMMABLE LIQUID, N.O.S
Excepted Quantities	E2
Passenger and Cargo Aircraft Limited	
Quantities Packing Instructions	Y441
Passenger and Cargo Aircraft Limited	
Quantities Max net Qty	5 Kg
Passenger and Cargo Aircraft Packing Instructions	445
Passenger and Cargo Aircraft Max net Qty	15 Kg
Cargo Aircraft Packing Instructions	448
Cargo Aircraft Max net Qty	50 Kg
Special Provisions	A46
Emergency Response Guidebook (ERG) Code	3L

### Labels

Labels 4.1



### 14.4 Packing group

Packing group II

### 14.5 Environmental hazards

Environmental hazards Not classified as a Marine Pollutant.

### 14.6 Special precautions for user

Not known

### 14.7 Maritime transport in bulk according to IMO instruments

No information available

## SECTION 15

### REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation	Not listed
REACH: ANNEX XIV list of substances subject to authorisation	Not listed
REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	propan-2-ol isopropyl alcohol isopropanol (67-63-0)
Community Rolling Action Plan (CoRAP)	Not listed
Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants	Not listed
Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer	Not listed
Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
<b>National regulations</b>	
Other	Not known

#### 15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

## SECTION 16 OTHER INFORMATION

The following sections contain revisions or new statements:

### LEGEND

Hazard Pictogram(s)



GHS02



GHS07

Hazard classification

Flam. Liq. 2 : Flammable liquid, Category 2  
 Eye Irrit. 2 : Serious eye damage/irritation, Category 2  
 STOT SE 3 H336 : Specific target organ toxicity — single exposure, Category 3

Hazard Statement(s)

H225: Highly flammable liquid and vapour.  
 H319: Causes serious eye irritation.  
 H336: May cause drowsiness or dizziness.

Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P233: Keep container tightly closed.  
 P240: Ground and bond container and receiving equipment.  
 P241: Use explosion-proof electrical/ventilating/lighting/equipment.  
 P242: Use non-sparking tools.  
 P243: Take action to prevent static discharges.  
 P261: Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P264: Wash hands and exposed skin thoroughly after handling.  
 P271: Use only outdoors or in a well-ventilated area.  
 P280: Wear protective gloves/protective clothing/eye protection/face protection.  
 P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P312: Call a POISON CENTER/doctor if you feel unwell.  
 P337+P313: If eye irritation persists: Get medical advice/attention.  
 P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish.  
 P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P403+P235: Store in a well-ventilated place. Keep cool.  
 P405: Store locked up.  
 P501: Dispose of contents in accordance with local, state or national legislation.

## Acronyms

ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road  
 ATE : Acute Toxicity Estimate  
 CAS : Chemical Abstracts Service  
 CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  
 DNEL : Derived No Effect Level  
 EC : European Community  
 EINECS : European Inventory of Existing Commercial Chemical Substances  
 IATA : International Air Transport Association  
 IBC : Intermediate Bulk Container  
 ICAO : International Civil Aviation Organization  
 IMDG : International Maritime Dangerous Goods  
 LTEL : Long term exposure limit  
 PBT : Persistent, Bioaccumulative and Toxic  
 PNEC : Predicted No Effect Concentration  
 REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals  
 RID : Regulations concerning the International Carriage of Dangerous Goods by Rail  
 STEL : Short term exposure limit  
 STOT : Specific Target Organ Toxicity  
 UN : United Nations  
 vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS

Regulation (EC) No. 1272/2008 (CLP)

## Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Micronclean gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Micronclean accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



Roman Bank / Skegness / Lincolnshire / PE25 1SQ  
T: +44 (0)1754 767 377  
E: sales@micronclean.co.uk  
W: www.micronclean.com

